

PeopleSoft General Interview Questions And Answers Guide.



Global Guideline.

<https://globalguideline.com/>



PeopleSoft General Job Interview Preparation Guide.

Question # 1

How to views two Program of AE Program?

Answer:-

Definition, Program flow

[Read More Answers.](#)

Question # 2

Explain Why state records are needed?

Answer:-

A state record is a People Soft record that must be created and maintained by the Application Engine developer. This record defines the fields a program uses to pass values from one action to another. Think of the fields of the Application Engine state record as the working storage for your Application Engine program.

An Application Engine state record can be either a physical record or a work record, and any number of state records can be associated with a program. Physical state records must be keyed by process instance.

[Read More Answers.](#)

Question # 3

What is app messaging, where did we use?

Answer:-

It is used to transfer data to the third party systems.

[Read More Answers.](#)

Question # 4

Tell me Interlink data type can be declared as?

Answer:-

Local

[Read More Answers.](#)

Question # 5

What are the new features in security in 8.0?

Answer:-

Learn about the new features in security in 8.0

[Read More Answers.](#)

Question # 6

PeopleCode variables (global, component, local, and parameter), method, and property names can now be up to _____ characters long?

Answer:-

1000

[Read More Answers.](#)

Question # 7

Suppose A Simple Query involving Professor, Asst Professor and to find if both can be available before and at a mentioned date?

Answer:-

Lets say all the data resides in a table PS_TABLE_A.

Lets say AS_OF_DATE is held by a variable as_of_date.

Here goes the query:-



Select PROFESSOR, ASST_PROFFESSOR FROM PS_TABLE_A WHERE EFFDT < as_of_date OR EFFDT = as_of_date

[Read More Answers.](#)

Question # 8

Explain the difference between SaveEdit and FieldEdit?

Answer:-

Field edit can be used to locally check the syntactical errors made by end user(mostly). It can be used for complex checking operations too but rarely.

Save edit is used to check the logical existence or invalid data inputs. It can be used for complex checking operations.

Example if a broker becomes ineffective after a particular date, and if some calculations are done after that date, logic can be written in save edits to stop further processing and help the user identify another broker whose effective date is valid for the date specified.

[Read More Answers.](#)

Question # 9

Can you explain the difference between SaveEdit and FieldEdit?

Answer:-

Field edit can be used to locally check the syntactical errors made by end user(mostly). It can be used for complex checking operations too but rarely.

Save edit is used to check the logical existence or invalid data inputs. It can be used for complex checking operations.

Example if a broker becomes ineffective after a particular date, and if some calculations are done after that date, logic can be written in save edits to stop further processing and help the user identify another broker whose effective date is valid for the date specified.

Field Edit peoplecode is fired when you try to change the value of a field on the page and Save Edit peoplecode is fired when you try to save the page. Both validate data but Field Edit peoplecode is used to validate the data for only that particular field which is changed and Save Edit peoplecode is used to validate all the data changes made to the fields on the page

[Read More Answers.](#)

Question # 10

How to define the names of the application servers being used to access PeopleSoft?

Answer:-

a) In Configuration Manager, under the Application Servers tab.

[Read More Answers.](#)

Question # 11

The field mapping button on worklist definition is used for mapping the fields of worklist record that can be visible on worklist message. We can assign the following type of values to it?

Answer:-

A role name

[Read More Answers.](#)

Question # 12

Tell me How did you apply your patches and bundles?

Answer:-

use the PeopleSoft delivered Upgrade Assistant or Change Assistant for PT8.45 and above.

[Read More Answers.](#)

Question # 13

Tell me Which of the following became obsolete with PS Ver8?

Answer:-

Operator Class

[Read More Answers.](#)

Question # 14

What is File formats for File Layout?

Answer:-

a) xml

b) csv

c) fixed length

[Read More Answers.](#)

Question # 15

Explain SQL Queries on PS_STAFF table?

Answer:-

3 Questions on this table with different queries and results

[Read More Answers.](#)



Question # 16

What are the topics covered in People Books?

Answer:-

Bad options

[Read More Answers.](#)

Question # 17

Explain Why temp records are needed?

Answer:-

We use temporary tables because on run time it creates many instances for parallel processing so that load on main table can be bring down if multiple users are using same main table at same time.

[Read More Answers.](#)

Question # 18

The Trace tab in Configuration Manager only traces Windows client (two-tier) interactions?

Answer:-

True

[Read More Answers.](#)

Question # 19

Explain File formats for File Layout?

Answer:-

The file formats can be .csv and fixed length also

[Read More Answers.](#)

Question # 20

Do you know PSWORKLIST record is used for workflow routing. It should contains minimum of?

Answer:-

6 keys in Ascending orders

[Read More Answers.](#)

Question # 21

How to stop sqr, while running using a command in sqr(stop)?

Answer:-

explain your self

[Read More Answers.](#)

Question # 22

What happens if you dont specify a search record for a component?

Answer:-

Fist thing, if the search record is not specified then the editor will not allow us to save.

Secondly, if the requirement itself demands to skip the search record then, the best thing is to use a dummy search record called - INSTALLATION.

[Read More Answers.](#)

Question # 23

How to debug AE?

Answer:-

To run a program in debug mode:

Set the debug option.

You can set the debug option in the following locations:

Start PeopleSoft Configuration Manager and select the Process Scheduler tab.

In the Application Engine group, enable debug by selecting the Debug check box. This is the method that applies to all methods of invocation.

If you used the command line option to invoke your Application Engine program, then you can include the ^DEBUG Y parameter in the command line you submit to PSAE.EXE.

[Read More Answers.](#)

Question # 24

Different ways to run AE, SQR.(Command, process scheduler)?

Answer:-

SQR:command line(sqrw.exe),process scheduler & peoplecode

AE:commandline(psae.exe),process scheduler,peoplecode-callappengine(aename,st-rec)

[Read More Answers.](#)



Question # 25

When do we view Business process map?

Answer:-

a) Change in mapping of data

[Read More Answers.](#)

Question # 26

Do you know A System Manager must approve all the transactions what is this?

Answer:-

a) Business Event

b) A Rule

c) A Role

d) Activity

[Read More Answers.](#)

Question # 27

Which one of the following PeopleCode debugging tools automatically converts values of any data type other than object into string values for viewing during debugging?

Answer:-

WinMessage

[Read More Answers.](#)

Question # 28

Explain Difference between chartfield and chart of accounts?

Answer:-

explain your self

[Read More Answers.](#)

Question # 29

Explain Where do we find the doc /// in customer connection---frequently updated. thing like patches?

Answer:-

log into Peoplesoft customer connect and navigate to Patches and fixes. To see future updates in plan - Click on Support -> Roadmaps and Schedules.

[Read More Answers.](#)

Question # 30

Suppose You just finished customization work that involved the creation of many new objects. You must now migrate these objects from your development database (source) to a testing database (target) to conduct more elaborate testing. Referring to the above information, why would adding your objects to a Project streamline the migration to a new database?

Answer:-

Projects provide the ability to migrate all objects at once or each object type individually.

[Read More Answers.](#)

Question # 31

Suppose An employee is transferred where should he refer in this aspect?

Answer:-

Business Process

[Read More Answers.](#)

Question # 32

Leave went into LOP(scenarios based fit gap) Requirement phase is?

Answer:-

explain your self

[Read More Answers.](#)

Question # 33

When Auto-join check box is checked what does it mean?

Answer:-

Common key fields

[Read More Answers.](#)

Question # 34



Explain Load look up in sqr, where did you use?

Answer:-

load look up is a temporary storage where we can store data from multiple tables. we use it in setup section.

[Read More Answers.](#)

Question # 35

Explain How to test an application engine program in 8.8?

Answer:-

One can test Application in two ways:

1. Running Application engine from 2-Tier
2. Running Application engine from 4-Tier.

1. Running Application Engine from 2-Tier: Open Application Designer, Then open desired Application engine. Then on top middle tool bar you can see 'Run Programm button' click on that button, give vales to parameter like Process Instance, Run Cntrl id etc and click. this will run application engine and genreate a trace file to you local system. After complition of Application engine you can see if you got desired results or not.

2. Running Application engine from 4-Tier: Open 4-Tier link, Go to peopleTools-> Process Scheduler -> Process, Add you Application engine process here, in 'Process Defination Options' give 'PRCSMULTT' in COMPONENT and 'TLSALL' in Process Group and then Save the page.

After defining Application engine, Go to peopleTools-> Process Scheduler -> System Process Request, then add a RUN CONTROL ID, After adding run control id, click on the RUN button on the page, this will lead you to page where all the process will be listed, Select you process name (Application engine Name) and klik on ok. This will run you Application engine.

[Read More Answers.](#)

Question # 36

Explain Difference between sql statements and metasql statements?

Answer:-

meta sql is platform independent while sql is not.
meta sql enhances reusability.

[Read More Answers.](#)

Question # 37

Tell me In which PeopleCode event does ALL data validation take place?

Answer:-

FieldEdit
SaveEdit

[Read More Answers.](#)

Question # 38

Explain Tuning can be done on which servers?

Answer:-

- a) Database Server
- b) App Server
- c) Batch Server
- e) Web Server

[Read More Answers.](#)

Question # 39

What is scroll select, etc?

Answer:-

explain your self scroll select, etc

[Read More Answers.](#)

Question # 40

Do you know PeopleSoft has its own naming convention for system and non-system (application) tables. In the list below, RECORDNAME refers to the name of any table or record. Referring to the above information, which one of the following identifies the naming convention PeopleSoft uses for system tables?

Answer:-

PSRECORDNAME

[Read More Answers.](#)

Question # 41

Tell me what is record, row peoplecode?

Answer:-

explain your self record, row peoplecode

[Read More Answers.](#)

Question # 42



People Soft allows multiple long fields per State Record?

Answer:-

False

[Read More Answers.](#)

Question # 43

Which Table contains Login User Id & Password in Peoplesoft Database?

Answer:-

It Is PSOPRDEFN. The password however is encrypted.

[Read More Answers.](#)

Question # 44

What are different peoplecode events?

Answer:-

fiels edit,fi
eldchange,
field default,
field formula
rowinit
,rowdelete
,rowinsert
,rowselect
,prebuild
,postbuild,
saveedit,
saveprechange
,savepostchange
,worflow

[Read More Answers.](#)

Question # 45

PeopleSoft reserves ALL WinHelp context numbers (in Utilities, PeopleTools Options) up to which number?

Answer:-

10,000,000

[Read More Answers.](#)

Question # 46

Tell me Can a business Process be used as a Navigator Home page?

Answer:-

true

[Read More Answers.](#)

Question # 47

What is Connect id?

Answer:-

A Connect ID is a valid user ID that, when used during login, takes the place of PeopleSoft User IDs for the logon process. Using Connect ID means you don't have to create a new database user for every PeopleSoft user you add to the system.

Connect id performs initial connection to the databse when the user tries to signon.

[Read More Answers.](#)

Question # 48

Suppose If you change the long name of translate field what object to be altered?

Answer:-

Page def

[Read More Answers.](#)

Question # 49

Explain Process Profile contains?

Answer:-

- a) Sequence of processes
- b) Sequence of jobs
- c) batch processes

[Read More Answers.](#)



Question # 50

Explain Different ways to run AE, SQR?

Answer:-

Command, process scheduler

[Read More Answers.](#)

Question # 51

PeopleSoft has its own naming convention for system and non-system (application) tables. In the list below, RECORDNAME refers to the name of any table or record. Referring to the above information, which one of the following identifies the naming convention PeopleSoft uses for non-system(application) tables?

Answer:-

PS_RECORDNAME

[Read More Answers.](#)

Question # 52

How did you apply your patches and bundles?

Answer:-

Through app designer manually (rarely) or through the change assistant, upgrade assistant tool.

[Read More Answers.](#)

Question # 53

Explain The application server dynamically scales server processes according to the volume of transaction requests? which is known as?

Answer:-

Spawning

[Read More Answers.](#)

Question # 54

What is paycycle and paycycle manager?

Answer:-

explain your self paycycle and paycycle manager

[Read More Answers.](#)

Question # 55

Explain Differences between State and temp records?

Answer:-

We can use multiple instances of temp records where as in state record we can use only one instance of state record.

[Read More Answers.](#)

Question # 56

Tell me Data Mover questions.....where did you use etc?

Answer:-

Data mover is used to move data of a record of database to another record in another database and the records should be identical in all respects like the number of fields, keys and fields

[Read More Answers.](#)

Question # 57

Peoplecode attached with Push Button can be associated with which of the following events?

Answer:-

Field Change event

[Read More Answers.](#)

Question # 58

What are the Different types of matching in AP(2,3,4 and receipt only matching)? Explain them?

Answer:-

Explain your self

[Read More Answers.](#)

Question # 59

What is the Process flow in Billing, AR, AM, GL, AP, PO etc?

Answer:-

explain your self



[Read More Answers.](#)

Question # 60

Explain What is the result of the search with the following criteria in PS Books?

Answer:-

SQL Table OR Field

[Read More Answers.](#)

Question # 61

The field property is changed from Prompt with no edit to Prompt with edit what is the effect. No more data edit possible?

Answer:-

explain your self

[Read More Answers.](#)

Question # 62

Where do you set People code trace?

Answer:-

In configuration manager trace tab.

[Read More Answers.](#)

Question # 63

Explain SQL injection?

Answer:-

SQL injection is an attack in which malicious code is inserted into strings that are later passed to an instance of SQL Server for parsing and execution.

[Read More Answers.](#)

Question # 64

Tell me What category of commands can be executed in data mover?

Answer:-

Sql , data mover commands

[Read More Answers.](#)

Question # 65

The DB User mentioned in Connect ID should have permission to which Three PeopleSoft Tables?

Answer:-

PSACCESSPRFLPSSTATUS PSOPRDEFN

[Read More Answers.](#)

Question # 66

What is left join, right join?

Answer:-

Learn about the all joins

[Read More Answers.](#)

Question # 67

What is a bundle?

Answer:-

Bundle is the group of patches and fixes, peoplesoft had delivered during specific time period

[Read More Answers.](#)

Question # 68

How to delete a file using sql?

Answer:-

use the command in the sql:
delete(\$filename)

[Read More Answers.](#)

Question # 69

What are the main differences between PeopleSoft Financial 8.4 And 8.8/8.9 version?

Answer:-



The inventory demand table structure was changed. In 8.4 there are 3 demand tables: demand_inf_inv, demand_inv, ship_inf_inv. In 8.8/8.9 there is only 1 demand table: in_demand

[Read More Answers.](#)

Question # 70

What is One-to-Many?

Answer:-

Table 1 relates to 0,1 or many records in Table2, Table 2 relates to Table1 as one and only one table.

[Read More Answers.](#)

Question # 71

Explain Config. Command for JOLT?

Answer:-

psserver in configuration properties

[Read More Answers.](#)

Question # 72

Can you explain DoSave() can be called from one of the following events?

Answer:-

FieldEdit, FieldChange, MenuItemSelected MenuItemSelected, Save Prechange & SavePostChange
dosave() can not be called from Save Prechange.

[Read More Answers.](#)

Question # 73

Tell me In which one of the following views would you see the fields, criteria, and other details associated with the current query?

Answer:-

Query view 9.

[Read More Answers.](#)

Question # 74

Do you know What are the triggers in a component?

Answer:-

Prebuild, Postbuild, save prechange, save postchange and workflow

[Read More Answers.](#)

Question # 75

To launch an Application Engine program from another App Engine program, which one of the following is correct?

Answer:-

CallSection Action

[Read More Answers.](#)

Question # 76

What is commitment control?

Answer:-

explain your self

[Read More Answers.](#)

Question # 77

Explain What are different peoplecode events?

Answer:-

searchinit,
searchsave,
rowselect,
prebuild,
fielddefault,
fieldformula,
rowinit,
postbuild,
activate,
rowinsert,
rowdelete,
saveedit,
saveprechange,
workflow,



savepostchange,
fieldedit,
prepopup,
fieldchange,
itemselected.

[Read More Answers.](#)

Question # 78

what are the major differences between peoplesoft versions HRMS8.8 and HRMS8.9? Explain with one example?

Answer:-

explain your self

[Read More Answers.](#)

Question # 79

What are the Outputs of SQR?

Answer:-

explain your self about the Outputs of SQR

[Read More Answers.](#)

Question # 80

What are the parameters that you will give for crystal reports?

Answer:-

parameter is something that is prompted to enter by the user. Parameter fields support the following datatypes. Boolean, currency, date, datetime, number, string, time

[Read More Answers.](#)

Question # 81

Explain What are the think-time functions?

Answer:-

The functions which will suspend processing either until the user has taken some action. for example clicking a button in a message box

[Read More Answers.](#)

Question # 82

Suppose You need not create separate DB for every user in PPSFT 8.4 onwards. This is possible because of?

Answer:-

Access ID

[Read More Answers.](#)

Question # 83

Explain Data Mover questions.....where did you use etc?

Answer:-

Data mover is used to move data of a record of database to another record in another database and the records should be identical in all respects like the number of fields, keys and fields

[Read More Answers.](#)

Question # 84

Explain Which of the following are object definitions?

Answer:-

- a) Mobile Page
- b) File Layout
- c) App Engine

[Read More Answers.](#)

Question # 85

Tell me Call Section Action it is possible to leave the Program ID with blank Value in certain cases?

Answer:-

True

[Read More Answers.](#)

Question # 86

Explain In the URL identify Portal and Component name?

Answer:-



explain it your self

[Read More Answers.](#)

Question # 87

What are the techniques for data transfer?

Answer:-

Data mover,importmanager,filelayout,sqr,application engine, component interface

[Read More Answers.](#)

Question # 88

Where do peopletools data is cached?

Answer:-

app server

[Read More Answers.](#)

Question # 89

what is PSCAMA(Peoplesoft Application messaging attribute)?

Answer:-

PeopleTools adds the PSCAMA record to every level of the message structure during processing. It isnt accessible in the message definition, but you can reference it as part of the Message object in the sending and receiving PeopleCode, and you can see it in the Integration Broker Monitor. PeopleCode processes this record the same way as any other record.

PSCAMA contains fields that are common to all messages. The <PSCAMA> tag repeats for each row in each level of the transaction section of the message. The sender can set PSCAMA fields to provide basic information about the message; for example, to indicate the message language or the type of transaction a row represents. When receiving a message, your PeopleCode should inspect the PSCAMA records for this information and respond accordingly.

[Read More Answers.](#)

Question # 90

Do you know Which of the following record is not found in database?

Answer:-

Derived work record

[Read More Answers.](#)

Question # 91

Do you know TriggerBusinessEvent is used for triggering the workflow and its written on workflow event. TriggerBusinessEvent has the syntax?

Answer:-

riggerBusinessEvent(BusProcess,BusActivity,BusEvent);

[Read More Answers.](#)

Question # 92

Trace 255 command line option produces the trace file with the name?

Answer:-

PID.AET

[Read More Answers.](#)

Question # 93

PeopleSoft tracks object changes using a system table. Which PeopleTools System table is used to track object changes?

Answer:-

No its PSAUDIT

[Read More Answers.](#)

Question # 94

Explain Difference between SavePreChanges and SavePostChanges w.r.t SAVEEDIT?

Answer:-

Save edit validates data and gives messages or warnings.when no error/warnings exist then saveprechange fires. it helps by doing one last check before the save process. save post change updates/inserts data into the records that have not been brought into to component buffer. it is recomended not to give error or warning messages in prechange and postchange events.

[Read More Answers.](#)

Question # 95

What are the various ways to run sqr?

Answer:-

l.sqrw



2.From the front end through process scheduler.

>>Register the sqr to any component and run the sqr.

[Read More Answers.](#)

Question # 96

Explain Which one of the following PeopleSoft Objects CANNOT be locked by developers as part of Change Control Locking as displayed above?

Answer:-

a) Process Definitions

[Read More Answers.](#)

Question # 97

Explain Where is Unicode used?

Answer:-

1) IBM DB2/UDB

2) Oracle

3) SQL Server

[Read More Answers.](#)

Question # 98

Tell me What is component interface, where did you use?

Answer:-

A component interface is a PeopleSoft PeopleTools definition that is created to access a Component buffer without actually accessing the Component physically from the PIA.

[Read More Answers.](#)

Question # 99

Tell me File format for SQR?

Answer:-

a) PDF

d) txt

[Read More Answers.](#)

Question # 100

Explain Use of process profile?

Answer:-

(scenario based on process profile / process group)Server o/p path override , process he can access

[Read More Answers.](#)

Question # 101

What is Customer Connection?

Answer:-

Log into (currently) PeopleSoft website with your login and password - <https://www.peoplesoft.com/corp/en/login.jsp>

[Read More Answers.](#)

Question # 102

Explain Difference between data buffer and component buffer?

Answer:-

All the component are present in the data buffer whereas in component buffer only active component present in the buffer...

[Read More Answers.](#)

Management Most Popular Interview Topics.

- 1 : [Human Resource \(HR\) Frequently Asked Interview Questions and Answers Guide.](#)
- 2 : [Peoplesoft Frequently Asked Interview Questions and Answers Guide.](#)
- 3 : [Project Manager Frequently Asked Interview Questions and Answers Guide.](#)
- 4 : [Hotel Management Frequently Asked Interview Questions and Answers Guide.](#)
- 5 : [Operations Management Frequently Asked Interview Questions and Answers Guide.](#)
- 6 : [Store Keeper Frequently Asked Interview Questions and Answers Guide.](#)
- 7 : [Six Sigma Frequently Asked Interview Questions and Answers Guide.](#)
- 8 : [Contract Manager Frequently Asked Interview Questions and Answers Guide.](#)
- 9 : [PeopleSoft Financials Frequently Asked Interview Questions and Answers Guide.](#)
- 10 : [Infrastructure Management Frequently Asked Interview Questions and Answers Guide.](#)

About Global Guideline.

Global Guideline is a platform to develop your own skills with thousands of job interview questions and web tutorials for fresher's and experienced candidates. These interview questions and web tutorials will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts. Global Guideline invite you to unlock your potentials with thousands of [Interview Questions with Answers](#) and much more. Learn the most common technologies at Global Guideline. We will help you to explore the resources of the World Wide Web and develop your own skills from the basics to the advanced. Here you will learn anything quite easily and you will really enjoy while learning. Global Guideline will help you to become a professional and Expert, well prepared for the future.

* This PDF was generated from <https://GlobalGuideline.com> at **November 29th, 2023**

* If any answer or question is incorrect or inappropriate or you have correct answer or you found any problem in this document then don't hesitate feel free and [e-mail us](#) we will fix it.

You can follow us on FaceBook for latest Jobs, Updates and other interviews material.
www.facebook.com/InterviewQuestionsAnswers

Follow us on Twitter for latest Jobs and interview preparation guides
<https://twitter.com/InterviewGuide>

Best Of Luck.

Global Guideline Team
<https://GlobalGuideline.com>
Info@globalguideline.com