

Statics Measures Interview Questions And Answers Guide.



Global Guideline.

<https://globalguideline.com/>



Statics Measures Job Interview Preparation Guide.

Question # 1

What are quantitative models?

Answer:-

Quantitative models are frequently used in different engineering disciplines for predicting situations, due dates, required cost and so on. These quantitative models are based on some kinds of measure performed on project data or items.

[Read More Answers.](#)

Question # 2

What is number of inequalities?

Answer:-

The number of (in)equalities is the number of times that the operator is found in atomic conditions of a program.

[Read More Answers.](#)

Question # 3

What is a nesting degree?

Answer:-

The nesting degree is the maximum number of conditional statements that are nested one inside another.

[Read More Answers.](#)

Question # 4

What is a branch coverage?

Answer:-

branch coverage is the percentage of branches exercised in a program. This coverage measure is used in most of the related papers in the literature.

[Read More Answers.](#)

Question # 5

What is statement coverage?

Answer:-

Statement coverage is defined as the percentage of statements that are executed.

[Read More Answers.](#)

Question # 6

What is a cyclomatic complexity?

Answer:-

Cyclomatic complexity is a complexity measure of code related to the number of ways there exists to traverse a piece of code. This measure determines the minimum number of test cases needed to test all the paths using linearly independent circuits.

[Read More Answers.](#)

Question # 7

How is cyclomatic complexity computed?

Answer:-

Cyclomatic complexity is computed using the control flow graph of the program, the nodes of the graph correspond to indivisible groups of sentences of a program and a directed edge connects two nodes if the second sentence might be executed immediately after the first sentence.

[Read More Answers.](#)



Question # 8

What does cyclomatic complexity apply to?

Answer:-

Cyclomatic complexity may also be applied to individual functions, modules, methods or classes within a program, and is formally defined as follows:

$$v(G) = E - N + 2P$$

where E is the number of edges of the graph, N is the number of nodes of the graph and P is the number of connected components.

[Read More Answers.](#)

Question # 9

What are the kinds of measures?

Answer:-

There are 2 kinds of measures:

Dynamic Measures:

Which requires the execution of the program.

Static Measures:

Which does not require the execution.

[Read More Answers.](#)

Question # 10

List some measure used in the study of static measures?

Answer:-

The measures used in this study are eight:

- * Number of sentences
- * Number of atomic conditions per decision
- * Total number of decisions
- * Number of equalities
- * Number of inequalities
- * Nesting degree
- * McCabe's cyclomatic complexity
- * Branch coverage

[Read More Answers.](#)

Question # 11

What sort of data is appropriate for chi square tests?

Answer:-

1. Scaled scores.
2. Rank ordered data.
3. Continuous scores.
4. Frequency counts

Answer: Frequency counts

[Read More Answers.](#)

Question # 12

Using a goodness of fit we can test whether a set of obtained frequencies differ from a set of _____ frequencies?

Answer:-

1. Expected
2. Observed
3. Constant
4. Independent

Answer: expected

[Read More Answers.](#)

Question # 13

Which of the following hypotheses would be suited for testing by a one variable chi square test?

Answer:-

1. It is hypothesized that in terms of car color, more individuals choose a red car, than a green, a black, or a silver car.
2. Choice of car color is directly related to measures of extroversion.
3. Individuals with red cars are significantly more extroverted than are individuals with green, black or silver cars.
4. None of the above

Answer: It is hypothesized that in terms of car color, more individuals choose a red car, than a green, a black, or a silver car.

[Read More Answers.](#)

Question # 14

How do we calculate the degrees of freedom for a goodness of fit test?

Answer:-

1. Number of categories -1.
2. Number of categories x n.



3. $N / (\text{Number of categories} - 1)$.

4. $n - 1$.

Answer: Number of categories - 1.

[Read More Answers.](#)

Question # 15

You are conducting a one variable chi square test to test the hypothesis that there are equal numbers of vegetarians, meat eaters, and vegans eating at the student union. The categories are vegetarian, meat eaters, and vegans. Having conducted a survey, you found 85 individuals were vegetarian, 122 ate meat, and 32 followed a vegan diet. What would the expected frequencies be in each cell?

Answer:-

1. 239

2. 85, 122, and 32.

3. 79.67

4. There is insufficient information provided to calculate the expected frequencies.

Answer: 79.67

[Read More Answers.](#)

Question # 16

Examine the output on p. 268. How would these results be reported?

Answer:-

1. The chi square value of 10.490 (DF=317) achieved an associated p value of $<.001$. There was a significant difference between the expected and the observed frequencies. We can conclude that there is a greater prevalence of right handedness in women with IBS.

2. The chi square value of 317 (DF=1) achieved an associated p value of $<.001$. There was a significant difference between the expected and the observed frequencies. We can conclude that there is a greater prevalence of left handedness in women with IBS.

3. The chi square value of 10.490 (DF=1) achieved an associated p value of .001. There was no significant difference between the expected and the observed frequencies. We can conclude that being left or right handed is unrelated to IBS in women.

4. The chi square value of 10.490 (DF=1) achieved an associated p value of $<.001$. There was a significant difference between the expected and the observed frequencies. We can conclude that there is a greater prevalence of left handedness in women with IBS.

Answer: The chi square value of 10.490 (DF=1) achieved an associated p value of $<.001$. There was a significant difference between the expected and the observed frequencies. We can conclude that there is a greater prevalence of left handedness in women with IBS.

[Read More Answers.](#)

Question # 17

Although in one variable chi square testing each participant cannot be in more than one group, in a 2x2 chi square test, this rule does not apply?

Answer:-

* True

* False

Answer: FALSE

[Read More Answers.](#)

Question # 18

Which of the below statements is false of chi square testing?

Answer:-

1. Chi square tests can be used to check how well a model fits the data

2. Chi square can be applied to continuous variables; it just means that a larger contingency table is needed.

3. Chi square is used in research to measure the association between two categorical variables.

4. None of these statements are false, it is a trick question.

Answer: Chi square can be applied to continuous variables; it just means that a larger contingency table is needed.

[Read More Answers.](#)

Question # 19

A fundamental assumption of chi square tests is that no more than ____ % of cells can have an expected frequency of less than?

Answer:-

1. 25; 5

2. 75; 95

3. 4; 1

4. 5; n

Answer: 25; 5

[Read More Answers.](#)

Question # 20

If the assumption mentioned in question 10 is not met for a 2x2 chi square test, you should proceed to conducting _____?

Answer:-

1. A Pearson's correlation coefficient

2. A 2x2 test of independence

3. One variable chi square test (goodness of fit)

4. A Fisher's Exact Probability Test

Answer: a Fisher's Exact Probability Test



Statics Measures Interview Questions And Answers

[Read More Answers.](#)

Question # 21

When reporting your results, what elements should you include from the SPSS output?

Answer:-

1. The number of participants, the X2 value, and the probability level
2. The Pearson's X2, degrees of freedom and the probability level.
3. The number of participants, the degrees of freedom, X2, and the probability level
4. The X2 and the probability level.

Answer: The Pearson's X2, degrees of freedom and the probability level.

[Read More Answers.](#)

Question # 22

What is Cramers V used for?

Answer:-

1. Cramer's V is used instead of X2 in analyses which are bigger than 2x2.
2. Cramer's V is used when assumptions for conducting chi square are violated.
3. Cramer's V is a measure of effect used for tests of association.
4. Cramer's V is a way of reporting the ratio between the observed and expected scores.

Answer: Cramer's V is a measure of effect used for tests of association.

[Read More Answers.](#)

Question # 23

You conduct a study exploring whether or not students planned their time and whether or not they submitted their assignment on time, your SPSS output shows a value for Cramers V of 0.42. How would you interpret this?

Answer:-

1. 8% of the variation in frequency counts of essay submission timing (on time or late) can be explained by time planning.
2. 42% of the variation in frequency counts of essay submission timing (on time or late) can be explained by time planning.
3. 64.8% of the variation in frequency counts of essay submission timing (on time or late) can be explained by time planning.
4. 4.2% of the variation in frequency counts of essay submission timing (on time or late) can be explained by time planning.

Answer: 8% of the variation in frequency counts of essay submission timing (on time or late) can be explained by time planning.

[Read More Answers.](#)

Question # 24

What does the Fishers Exact Probability test show?

Answer:-

1. Fisher's Exact Probability Test shows the F statistic associated with the chi square value when the null is assumed to be true.
2. The Fisher's Exact Probability Test shows the probability of reaching the assumption of 25% of cells with an expected frequency of less than 5.
3. The Fisher's Exact Probability Test shows the percentage of variation which one variable accounts for in the other.
4. The Fisher's Exact Probability Test shows the probability of obtaining the chi square value when the null is assumed to be true.

Answer: The Fisher's Exact Probability Test shows the probability of obtaining the chi square value when the null is assumed to be true.

[Read More Answers.](#)

Question # 25

For a 2x2 chi square test, which of the following equations would be used to calculate the degrees of freedom?

Answer:-

1. $(r-1) \times (c-1) \times (n-1)$
2. $(r-c) \times (n-1)$
3. $(r-1) \times (c-1)$
4. $(r+1) \times (c+1)$

Answer: $(r-1) \times (c-1)$

[Read More Answers.](#)

Question # 26

Refer back to the example in question 14 which look at submission of essays and time planning. In terms of essay submission, number of early, late and on time students are counted. The number of students who planned their time was also counted, leading to two levels of time planning or not. How would this analysis be described?

Answer:-

1. 3x2
2. 3x3
3. 2x2
4. 3x1

Answer: 3x2

[Read More Answers.](#)

Question # 27

Data for a chi square test should be assumed to have no less than one participant per cell. If there is less than one participant per cell, it is sometimes useful to



combine cells together into one category?

Answer:-

- * True
- * False

Answer: TRUE

[Read More Answers.](#)

Question # 28

One serious complication associated with the analysis of more than three levels (4 x 5) is?

Answer:-

1. The sample size would have to be so large that chi square analysis would not be powerful enough to interpret the data.
2. It can be difficult to interpret accurately all of the relationships within a large contingency table.
3. That type of analysis would not meet the criteria for a chi square test.
4. They would have to be analyzed by hand as SPSS has no option for tables larger than 3x3.

Answer: it can be difficult to interpret accurately all of the relationships within a large contingency table.

[Read More Answers.](#)

Question # 29

Should you use a one-tailed, or a two-tailed hypothesis when doing a chi square test?

Answer:-

1. Two-tailed.
2. It doesn't matter.
3. One-tailed.
4. SPSS will include the right one in the output.

Answer: It doesn't matter.

[Read More Answers.](#)

Analysis Most Popular Interview Topics.

- 1 : [GIS Frequently Asked Interview Questions and Answers Guide.](#)
- 2 : [Analysis Frequently Asked Interview Questions and Answers Guide.](#)
- 3 : [GIS Analysis Frequently Asked Interview Questions and Answers Guide.](#)
- 4 : [Spatial Data Frequently Asked Interview Questions and Answers Guide.](#)
- 5 : [GIS Data Frequently Asked Interview Questions and Answers Guide.](#)
- 6 : [System Analyst Frequently Asked Interview Questions and Answers Guide.](#)
- 7 : [Research Officer Frequently Asked Interview Questions and Answers Guide.](#)
- 8 : [Static Analysis Frequently Asked Interview Questions and Answers Guide.](#)
- 9 : [Financial Analyst Frequently Asked Interview Questions and Answers Guide.](#)
- 10 : [Credit Analysis Frequently Asked Interview Questions and Answers Guide.](#)

About Global Guideline.

Global Guideline is a platform to develop your own skills with thousands of job interview questions and web tutorials for fresher's and experienced candidates. These interview questions and web tutorials will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts. Global Guideline invite you to unlock your potentials with thousands of [Interview Questions with Answers](#) and much more. Learn the most common technologies at Global Guideline. We will help you to explore the resources of the World Wide Web and develop your own skills from the basics to the advanced. Here you will learn anything quite easily and you will really enjoy while learning. Global Guideline will help you to become a professional and Expert, well prepared for the future.

* This PDF was generated from <https://GlobalGuideline.com> at **November 29th, 2023**

* If any answer or question is incorrect or inappropriate or you have correct answer or you found any problem in this document then don't hesitate feel free and [e-mail us](#) we will fix it.

You can follow us on FaceBook for latest Jobs, Updates and other interviews material.
www.facebook.com/InterviewQuestionsAnswers

Follow us on Twitter for latest Jobs and interview preparation guides
<https://twitter.com/InterviewGuide>

Best Of Luck.

Global Guideline Team
<https://GlobalGuideline.com>
Info@globalguideline.com